

SONOREX *smart*

Classics with modern technology

We have made our proven ultrasound devices even better and launched the new **SONOREX smart series**. In doing so, we

have retained the previous advantages and expanded them with new technology and comfort functions.

New features:



Intuitive touchscreen



Clear visualisation of the operating status



Seamless process documentation possible



Temperature monitoring



Individual programmes can be saved

Proven features:

- Robust and extremely durable
- Wide range of accessories, compatible with the stock
- Available in different sizes
- Class I medical device
- Drip-proof to IP32
- Sweep function
- Pulse function
- Power setting 10-100 %



MADE IN
GERMANY

Accessories

Special accessories for smart devices

USB/LAN Docking Station

With USB-A, USB-B and Ethernet connection. Allows the simple transfer of the process protocol to other storage media.



General accessories

Insert baskets



Lids



Positioning lid & beaker holder, flask holder and spring clamps



Laboratory chiller LABOCOOL LC 400



Detergents



Technical data

Type	Internal dimensions Oscillating tank l × w × d [mm]	Capacity [l]	Ultrasonic peak power* [W]	Ultrasonic nominal power [W]	Heating power [W]
ST 102 H	240 × 140 × 100	3.0	480	120	140
ST 103 H	240 × 140 × 150	4.0	560	140	200
ST 156 BH	500 × 140 × 150	9.0	860	215	600
ST 170 H	1000 × 200 × 200	39.0	1520	380	1600
ST 255 H	300 × 150 × 150	5.5	640	160	280
ST 510 H	300 × 240 × 150	9.7	640	160	400
ST 514 H	325 × 300 × 150	13.5	860	215	600
ST 514 BH	325 × 300 × 200	18.7	860	215	600
ST 1028 H	500 × 300 × 200	28.0	1200	300	1300
ST 1028 CH	500 × 300 × 300	45.0	1200	300	1450
ST 1050 CH	600 × 500 × 300	90.0	2400	600	1950

*corresponds to 4 times ultrasonic nominal power

Back side



Top view




SONOREX smart ST 510 H

Further information on our devices & accessories, including online ordering, visit bandelin.com. Orders can also be placed by e-mail to order@bandelin.com.

Application examples

Sample preparation for subsequent analysis

The internal programme memory enables reliable reproducibility of your validated processes for sample preparation. Thanks to the integrated temperature your samples are protected from unintentional heating.



Degassing

With the degassing mode available at the touch of a button, your samples are quickly and thoroughly degassed for further analysis.

Cleaning laboratory equipment

Thanks to the easily recognisable display elements, you have maximum control over the cleaning process of your equipment at all times.



Tip: Depending on the application, a suitable cleaning agent is of particular importance. This can significantly improve the effect of the ultrasound.

